PAPER DETAILS

TITLE: TEHLIKELI IS SISTEMLERINDEKI GÜVENLIK YÖNETIMI IÇIN KURAL-TABANLI BIR SISTEM YAKLASIMI AUTHORS: Ercüment N DIZDAR,Mustafa KURT PAGES: 743-747

ORIGINAL PDF URL: https://dergipark.org.tr/tr/download/article-file/191520

A RULE-BASED SYSTEM APPROACH FOR SAFETY MANAGEMENT IN HAZARDOUS WORK SYSTEMS

Ercüment N. DİZDAR*, Mustafa KURT**

*Kırıkkale University, Engineering Faculty, Department of Industrial Engineering, Kırıkkale **Gazi University, Engineering and Architecture Faculty, Department of Industrial Engineering, Ankara

ABSTRACT

Developments in technology increased the importance of safety management in work life. These improvements also resulted in a requirement of more investment and assignment on human in work systems. Here we face this problem: Can we make it possible to forecast the possible accidents that workers can face, and prevent these accidents by taking necessary precautions? In this study made, we aimed at developing an rule-based system to forecast the occupational accidents in coming periods at the departments of the facilities in hazardous work systems. The validity of the developed system was proved by implementing it into practice in hazardous work systems in manufacturing industry.

Key Words : Ergonomics, Safety engineering, Risk assessment

TEHLİKELİ İŞ SİSTEMLERİNDEKİ GÜVENLİK YÖNETİMİ İÇİN KURAL-TABANLI BİR SİSTEM YAKLAŞIMI

ÖZET

Teknolojideki gelişmeler iş sisteminde insana daha fazla değer vermeyi ve daha fazla yatırımı gerekli kılmıştır. Bunun sonucunda karşımıza şu problem çıkmıştır; acaba insanların maruz kalabilecekleri kazaları önceden tahmin edip, alınacak tedbirler ile bu kazaları önlemek mümkün müdür? Yapılan çalışmada, tehlikeli iş sistemlerindeki işletmelerin önündeki dönemler bazında departmanlarında meydana gelebilecek olası iş kazalarının önceden tahmini için bir sistem önerisi geliştirilmiştir. Geliştirilen sistemin geçerliliği üretim endüstrisindeki tehlikeli iş sisteminde uygulanarak ispatlanmıştır.

Anahtar Kelimeler : Ergonomi, Güvenlik mühendisliği, Risk analizi

1. INTRODUCTION

Developments in industry increased the importance of safety engineering and of necessary precautions against occupational accidents in work systems. The improvements in industry also resulted in high enterprises on safety engineering in manufacturing systems.

There are different definitions of occupational accident. International Labour Organization (ILO, 1983) describes work accident as follows: "work accident is an event, which is unplanned and

happens unexpectedly and causes a particular damage or injury".

The basic factors which cause work accidents can be ordered as follows:

- Lack of safety precautions on working machines or not using the existing safety precautions,
- The worker's not been educated in the concept of worker health and work safety,
- Design or assembly mistakes on machines,

- Not supplying the workers with required safety tools, or not using the safety tools,
- Employer has not well-understood the importance of worker health and work safety precautions,
- Uncontrolled working and health conditions in work place.

Human, who are the most valuable function of production systems, basically have the right of being protected against possible accidents during work time. This is quite reasonable since all kinds of products are for human comfort (Dizdar and Kurt, 1996).

The basic principle in preventing accident risk in a work place is, to eliminate the sources accidents. If this is not possible, then isolate the accident source in a closed system. Here we meet this problem: Can estimate the possible accidents that workers can face, and prevent these accidents by taking necessary measures?

Managers who work in safety management can prevent possible accidents by analyzing the past accidents in their facilities and by taking the right precaution in right time. Therefore, in order to avoid or lessen work accidents; first of all; unsafe places where accidents frequently take place should be determined; the reasons of these accidents should be analyzed and with a systematic approach, required precautions should be taken and should be observed seriously.

In this study "a rule based system for safety management" which is a model of prognosis for occupational accidents in manufacturing systems is presented. This serves as a tool to forecast possible accidents, by considering the previous years' accidents statistics and analysis the varieties and properties of these accidents. By evaluating the results obtained from this model, precautions against work accidents could be taken and existence of work accidents in work places could be prevented.

2. SAFETY MANAGEMENT AND ERGONOMICS

Traditionally, the manufacturing development practice has been characterized by more or less sequential process with the technology aspects in the forefront and leaving limited attention to organizational and human aspects (Kaebernick and Kayis, 1996). On the other hand, in order to improve manufacturing systems and to produce high qualities of products and processes, it is not sufficient to take into consideration only the technical parameters that influence system improvement and quality (Zülch and Schüindele, 1996).

Supporting this idea, Kidd (1991) says: "Too often, technology is seen as a panacea for the problem of manufacturing in industry. This is natural, because applying new technologies has worked in the past, and technology is obviously still important. New technology on its own, however is not enough". Instead, one should also consider the factors related to human.

Improving safety and reducing human errors in manufacturing systems are central criteria used by human factors practitioners in designing and evaluating systems. Also the health of the workers is becoming of more and more importance within the production factor (Bauer et al., 1996). In order to preserve and support "health" it is necessary to integrate occupational safety in manufacturing systems to a greater extent.

Ergonomics, being an applied branch of science and presenting the basic scientific conditions of productivity, is about primarily the prevention of occupational accidents and to ensure occupational safety. It has duties such as providing a safe system of work, safe equipment, and adequate training and supervision (Salvendy, 1992; Sanders et al., 1993; Oborne, 1995).

The increasing demands quality on and improvements in the manufacturing system technology have increased the importance of safety management. Together with technical, behavioral and organizational factors, accident possibility in work places may be one of the reasons of production disturbances which cause considerable losses. These losses may arise in terms of lost production, medical and compensation costs, as well as the human suffering from the resulting injuries (Brauer, 1993; Goetsch, 1993).

Additionally, in order to make the employees to exhibit their performance potential to the full, they must be provided with most favorable working conditions including the effective occupational safety precautions. Good safety conditions will have a beneficial effect on their overall performance (Gertman, and Blackman, 1993).

Consequently safety management is not a trivial problem. It needs a complex and reliable study,

which considers all the factors effecting accidents and it must be applicable to real manufacturing systems. The purpose of this paper is to present a model of prognosis for occupational accidents in hazardous manufacturing systems by using the past years' accident data statistics.

3. AN RULE BASED SYSTEM APPROACH FOR PREVENTING ACCIDENTS

This model provides us information about possible work accidents in future periods, by rationally analyzing the past work accidents which are difficult to foresee.

The occupational accidents that are not easy to foresee can be forecasted by considering the past accident statistics. These procedures can be achieved with some type of statistical forecasting methods. The model forecasts the time, the place, the type and the reason of the possible accidents which could happen in future time, and in order to forecast these values it analysis the past years' accident data. Precautions taken in this manner would be effective to prevent possible accidents.

The algorithm embedded in the proposed rule based system is shown below.

Step 0

Describe an acceptable lower bound for lost workdays in each month, in each department, for each occurrence type of accident and for each accident reason.

- MLB_i Acceptable lower bound for lost workdays in month i (i = 1,...,12)
- DLB_j Acceptable lower bound for lost workdays in department j (j = 1,..,N)
- TLB_k Acceptable lower bound for lost workdays for accident type k (k = 1,...,K)
- RLB_l Acceptable lower bound for lost workdays for accident reason 1 (l = 1,...,L)
- N Total number of departments
- K Total accident occurrence type
- L Total accident reason

Step 1

i. Forecast the value of next year's lost work day in each month Mf_i (i = 1,2,...,12)

- ii. Determine the critical month $Mc_{I} = Max \{Mf_{i}; i = 1,...,12\} (z = i)$ If $Mc_{i} < MLB_{i}$; Stop If $Mc_{i} \ge MLB_{i}$; go to Step 2i
- i.i.i. If h≠number of departments; go to Step 2ii.

i.i.i.i. If h = number of departments; $Mf_z = 0$ (h = 0); go to Step 1ii

Step 2

- i. Forecast the value of next year's lost work day in critical month for each accident department Df_i (j = 1,...,N)
- ii. Determine the critical department in critical month
 - $Dc_j=Max \{Df_j; j=1,...,N\} (n = j)$ If $Dc_j < DLB_j$; $Df_n = 0, h = h + 1$, go to Step 1iii
 - If, $Dc_j \ge DLB_j$; go to Step 3i
- i.i.i If g ≠ number of occurrence type; go to Step 2ii
- i.i.i.i If g = number of occurrence; $Df_n = 0 (g = 0)$; go to Step 3i

Step 3

- i. Forecast the value of next year's lost work day in critical month, critical department for each accident occurrence type Tf_k (k = 1,...,K)
- ii. Determine the critical occurrence type in critical month in critical department $Tc_k = Max \{Tf_k; k = 1,...,K\}$ (b = k) If $Tc_k < TLB_k$; Tf_b = 0, g = g + 1 go to Step 2iii If $Tc_k \ge TLB_k$; go to Step 4i
- i.i.i. If m ≠ number of accident reason; go to Step 4ii
- i.i.i.i. If m = number of occurrence; $Tf_b = 0 \ (m = 0)$; go to Step 3ii

Step 4

- i. Forecast the value of next year's lost work day in critical month, critical department, for critical occurrence type for each accident reason Rf_l (l = 1,...,L)
- ii. Determine the critical accident reason in critical month in critical department in critical occurrence type $Rc_l = Max \{Rf_l; l = 1,...,L\} (a = l)$ If $Rc_l > RLB_l$; $Rf_a = 0$, m = m + 1, go to Step 3iii If $Rc_l \ge RLB_l$; $Rf_a = 0$, repeat 4ii

4. APPLICATION AND RESULTS

In order to show how applicable the model is, a factory where statistically large number of accidents occur is selected. The basic criteria while choosing the pilot factory were; having statistical data of past years accidents' results and having hazardous work system.

The study was implemented at a factory which produces explosive materials in Kırıkkale.

The first cycle of the application is shown in Table 1-4.

As shown in Table 1, October is found to be the critical month.

Table 1. First Step of First Cycle (Mc_i = October)

	step of I list eyele	(
Months	Forecasted	Accettable
	Lost Workdays	Lower Bounds
January	5	8
February	5	8
March	8	8
April	11	8
May	12	10
June	4	10
July	5	10
August	6	10
September	9	10
October	15	8
November	12	8
December	7	8
$Mc_i = October$		

In Table 2 one can see the critical department to be 3^{rd} department in October.

Table 2. Second Step of Thist Cycle $(Dej = 3)$				
	Forecasted			
Departments	Lost Workdays	Accettable		
	in October in 3 th	Lower Bounds		
	Department			
1	3	2		
2	0	2		
3	7	5		
4	3	5		
5	2	2		
$Dc_j = 3$				

Table 2. Second Step of First Cycle ($Dc_i = 3$)

In the 3^{rd} department, accident type 4 is found to be the critical accident type (see Table 3). Table 3. Third Step of First Cycle (Tc_k = 4)

Accident Types	Forecasted Lost Workdays in October in 3 th Department	Accettable Lower Bounds	
1	0	2	
2	1	2	
3	0	5	
4	4	5	
5	2	4	
6	0	4	
$Tc_k = 4$			

Finally, in accident type 4, the 1st accident reason is determined to be the critical accident reason.

Table 4. Fourth Step of First Cycle ($Rc_1 = 1$)

Accident Reasons	Forecasted Lost Workdays in October in 3 th Depment in 4 th Accident Type	Accettable Lower Bounds	
1	3	4	
2	1	4	
3	0	4	
$Rc_1 = 1$			

As seen in first cycle above, if precautions are taken against accident type 4, in department 3, in month October, these accidents could be avoided.

The algorithm continues to solve the other cycles.

5. CONCLUSIONS AND FUTURE WORKS

With the application of rule based system, which forecasts the future years' accident types and specifications by using the past years' accident data; it becomes easier to foresee the possible accidents in a workplace. Therefore, by taking necessary precautions, these foreseen possible accidents could be avoided.

Reliability of the model depends on the past years' accident data being true, and the validity of the rule based systems' algorithm depends on taking necessary precautions in cycles.

This model can be expanded to include the types of accidents, size of management with respect to time and departments.

Nevertheless, it is noteworthy that increasing branches results in decreasing the reliability of solution.

6. REFERENCES

Mühendislik Bilimleri Dergisi 1998 4(3)

Bauer, W., Freudenreich, H., Schindhelm, R. 1996. The Effect of New Organization Structures on Internal Company Occupational Safety, 1st International Conference on Applied Ergonomics, 21-24 May 1996, İstanbul, Turkey. 65-67.

Brauer, R. L. 1993. <u>Safety and Health for Engineers</u>, John Wiley and Sons Ltd.

Dizdar, E. N., Kurt, M. 1996. A New Approach to Work Accidents: Danger Decision Tree, 1st International Conference on Applied Ergonomics, 21-24 May 1996, İstanbul, Turkey, 597-600.

Gertman, D. I., Blackman, H. S. 1993. <u>Human</u> <u>Reliability and Safety Analysis Data Handbook</u>, John Wiley and Sons Inc., New York.

Goetsch, D. L. 1993. <u>Industrial Safety and Health:</u> <u>In the Age of High Technology</u>, Macmillan Publishing Company, USA.

ILO. 1983. <u>Encyclopedia of Occupational Safety</u> <u>and Health</u>, ILO, Geneva.

Kaebernick, H., Kayis, B. 1996. Integration of Technological, Organizational and Human Aspects

in Cellular Manufacturing-a Case Study", **ICAE'96**, 21-24 May 1996, İstanbul, Turkey, 174-178.

Kidd, P. T. 1991. Research Policy Review, Organization, People and Technology in European Manufacturing, International Journal of Human Factors in Manufacturing, 1 (3), 257-279.

Oborne, D. 1995. <u>Ergonomics at Work : Human</u> <u>Factors in Design and Development</u>, 3rd Edition, John Wiley and Sons Ltd.

Salvendy, G. 1992. <u>Handbook of Industrial</u> <u>Engineering</u>, 2nd Ed., John Wiley and Sons, Inc.

Sanders, M. S., McCormick, E. 1993. <u>Human</u> <u>Factors in Engineering and Design</u>, McGraw-Hill Inc., Seventh Edition, Singapore.

Zülch, G., Schindele, H. 1996. Dynamic Model of Human Reliability for Quality-Oriented Planning of Production Systems, 1st International Conference on Applied Ergonomics, 21-24 May 1996, İstanbul, Turkey, 51-54.