

PAPER DETAILS

TITLE: The Form of the Solutions of System of Rational Difference Equation

AUTHORS: Marwa M ALZUBAIDI,E M ELSAYED

PAGES: 181-191

ORIGINAL PDF URL: <https://dergipark.org.tr/tr/download/article-file/612919>

The Form of the Solutions of System of Rational Difference Equation

E. M. Elsayed^{a,b,*} and Marwa M. Alzubaidi^{a,c}

^aKing Abdulaziz University, Faculty of Science, Mathematics Department, P.O. Box 80203, Jeddah 21589, Saudi Arabia

^bDepartment of Mathematics, Faculty of Science, Mansoura University, Mansoura 35516, Egypt.

^cMathematics Department, The University College of Duba, University of Tabuk, Tabuk, Saudi Arabia.

*Corresponding author

Article Info

Keywords: Difference Equation, System difference equations, Periodicity

2010 AMS: 39A10

Received: 26 May 2018

Accepted: 3 November 2018

Available online: 30 December 2018

Abstract

In this article, we study the form of the solutions of the system of difference equations $x_{n+1} = ((y_{n-8})/(1 + y_{n-2}x_{n-5}y_{n-8}))$, $y_{n+1} = ((x_{n-8})/(1x_{n-2}y_{n-5}x_{n-8}))$, with the initial conditions are real numbers. Also, we give the numerical examples of some of difference equations and got some related graphs and figures using by Matlab.

1. Introduction

Our aim in this studying to get the techniques of solutions of the system of rational difference equations

$$x_{n+1} = \frac{y_{n-8}}{1 + y_{n-2}x_{n-5}y_{n-8}}, \quad y_{n+1} = \frac{x_{n-8}}{\pm 1 \pm x_{n-2}y_{n-5}x_{n-8}},$$

with real number's initial conditions $x_{-8}, x_{-7}, x_{-6}, x_{-5}, x_{-4}, x_{-3}, x_{-2}, x_{-1}, x_0, y_{-8}, y_{-7}, y_{-6}, y_{-5}, y_{-4}, y_{-3}, y_{-2}, y_{-1}, y_0$.

Lately, difference equations appear as discrete analogues of discovered evolution because most analysis of time evolving variables are discrete. Also, there has been an increasing interest in the study of qualitative analysis of system of rational difference equations. Discrete systems can be described as operators acting on functions with countable domains. These functions are also called discrete functions or sequences. Although difference equations looks simple in form, but it is highly difficult to understand thoroughly the behaviors of their solutions, see [1]-[44] and the references cited therein. There are many papers with related to the difference equations system for example, Ahmed and Elsayed [1] has got the expressions of solutions of some rational difference equations systems

$$x_{n+1} = \frac{x_{n-1}y_{n-2}}{y_n(-1 \pm x_{n-1}y_{n-2})}, \quad y_{n+1} = \frac{y_{n-1}x_{n-2}}{x_n(\pm 1 \pm y_{n-1}x_{n-2})}.$$

Din investigated the boundedness character, the local asymptotic stability of equilibrium points and global of the unique positive equilibrium point of a discrete predator-prey model given by

$$x_{n+1} = \frac{\alpha x_n - \beta x_n y_n}{1 + \gamma x_n}, \quad y_{n+1} = \frac{\delta x_n y_n}{x_n + \eta y_n}.$$

El-Dessoky [2] obtained the solutions and periodicity for some systems of third-order rational difference equations

$$x_{n+1} = \frac{y_{n-1}y_{n-2}}{x_n(\pm 1 \pm y_{n-1}y_{n-2})}, \quad y_{n+1} = \frac{x_{n-1}x_{n-2}}{y_n(\pm 1 \pm x_{n-1}x_{n-2})}.$$

In [3], El-Dessoky and Elsayed studied the solution and periodic nature of some systems of rational difference equations

$$x_{n+1} = \frac{x_n y_{n-1}}{y_{n-1} \pm y_n}, \quad y_{n+1} = \frac{y_n x_{n-1}}{x_{n-1} \pm x_n}.$$

El-Dessoky et al. [4] obtained the rational system of difference equations

$$x_{n+1} = \frac{x_{n-3} y_{n-4}}{y_n (\pm 1 \pm x_{n-3} y_{n-4})}, \quad y_{n+1} = \frac{y_{n-3} x_{n-4}}{x_n (\pm 1 \pm y_{n-3} x_{n-4})}.$$

Elsayed and Ibrahim [5] solved solutions for some systems of nonlinear rational difference equations

$$x_{n+1} = \frac{x_{n-2} y_{n-1}}{y_n (\pm 1 \pm x_{n-2} y_{n-1})}, \quad y_{n+1} = \frac{y_{n-2} x_{n-1}}{x_n (\pm 1 \pm y_{n-2} x_{n-1})}.$$

Elsayed and Alghamdi [6] solved the form of the solution of nonlinear difference equation systems

$$x_{n+1} = \frac{x_{n-7}}{1 + x_{n-7} y_{n-3}}, \quad y_{n+1} = \frac{y_{n-7}}{\pm 1 \pm y_{n-7} x_{n-3}}.$$

Haddad et al [7] obtained solution form of a higher-order system of difference equations and dynamical behavior of its special case

$$x_{n+1} = \frac{x_{n-k+1}^p y_n}{a y_{n-k}^p + b y_n}, \quad y_{n+1} = \frac{y_{n-k+1}^p x_n}{\alpha x_{n-k}^p + \beta x_n}.$$

In [8] Kurbanli studied the behavior of solutions of the following systems of difference equations

$$x_{n+1} = \frac{x_{n-1}}{y_n x_{n-1} - 1}, \quad y_{n+1} = \frac{y_{n-1}}{x_n y_{n-1} - 1}.$$

Kurbanli et al. [9, 10] obtained the solutions of following problems

$$\begin{aligned} x_{n+1} &= \frac{x_{n-1} + y_n}{y_n x_{n-1} - 1}, & y_{n+1} &= \frac{y_{n-1} + x_n}{x_n y_{n-1} - 1}. \\ x_{n+1} &= \frac{x_{n-1}}{y_n x_{n-1} + 1}, & y_{n+1} &= \frac{y_{n-1}}{x_n y_{n-1} + 1}. \end{aligned}$$

Mansour et al. [11] investigated the solutions and periodicity of some system of difference equations

$$x_{n+1} = \frac{x_{n-5}}{-1 + x_{n-5} y_{n-2}}, \quad y_{n+1} = \frac{y_{n-5}}{\pm 1 \pm y_{n-5} x_{n-2}}.$$

Touafek and Elsayed [12] gave the solutions of following systems of difference equations

$$x_{n+1} = \frac{x_{n-3}}{\pm 1 \pm x_{n-3} y_{n-1}}, \quad y_{n+1} = \frac{y_{n-3}}{\pm 1 \pm y_{n-3} x_{n-1}}.$$

Definition 1.1. A sequence $\{x_n\}_{n=-k}^{\infty}$ is said to be periodic with period p if $x_{n+p} = x_n$ for all $n \geq -k$.

2. The main results

2.1. The first system: $x_{n+1} = \frac{y_{n-8}}{1 + y_{n-2} x_{n-5} y_{n-8}}, y_{n+1} = \frac{x_{n-8}}{1 + x_{n-2} y_{n-5} x_{n-8}}$

In this part, we study the solutions of the system of difference equations

$$x_{n+1} = \frac{y_{n-8}}{1 + y_{n-2} x_{n-5} y_{n-8}}, y_{n+1} = \frac{x_{n-8}}{1 + x_{n-2} y_{n-5} x_{n-8}},$$

with a real number's initial conditions.

Theorem 2.1. Suppose that $x_{-8} = a, x_{-7} = b, x_{-6} = c, x_{-5} = d, x_{-4} = e, x_{-3} = f, x_{-2} = g, x_{-1} = h, x_0 = k, y_{-8} = l, y_{-7} = m, y_{-6} = p, y_{-5} = q, y_{-4} = r, y_{-3} = s, y_{-2} = t, y_{-1} = u, y_0 = v$ are arbitrary real numbers and let $\{x_n, y_n\}$ be solutions of the system 2.1. Then all solutions of 2.1 are given by

$$\begin{aligned}
 x_{18n-8} &= a \prod_{i=0}^{n-1} \frac{(1+(6i)agq)(1+(6i+3)agq)}{(1+(6i+1)agq)(1+(6i+4)agq)}, \\
 x_{18n-7} &= b \prod_{i=0}^{n-1} \frac{(1+6ibhr)(1+(6i+3)bhr)}{(1+(6i+1)bhr)(1+(6i+4)bhr)}, \\
 x_{18n-6} &= c \prod_{i=0}^{n-1} \frac{(1+6icks)(1+(6i+3)cks)}{(1+(6i+1)cks)(1+(6i+4)cks)}, \\
 x_{18n-5} &= d \prod_{i=0}^{n-1} \frac{(1+(6i+1)dlt)(1+(6i+4)dlt)}{(1+(6i+2)dlt)(1+(6i+5)dlt)}, \\
 x_{18n-4} &= e \prod_{i=0}^{n-1} \frac{(1+(6i+1)emu)(1+(6i+4)emu)}{(1+(6i+2)emu)(1+(6i+5)emu)}, \\
 x_{18n-3} &= f \prod_{i=0}^{n-1} \frac{(1+(6i+1)fpv)(1+(6i+4)fpv)}{(1+(6i+2)fpv)(1+(6i+5)fpv)}, \\
 x_{18n-2} &= g \prod_{i=0}^{n-1} \frac{(1+(6i+2)agq)(1+(6i+5)agq)}{(1+(6i+3)agq)(1+(6i+6)agq)}, \\
 x_{18n-1} &= h \prod_{i=0}^{n-1} \frac{(1+(6i+2)bhr)(1+(6i+5)bhr)}{(1+(6i+3)bhr)(1+(6i+6)bhr)}, \\
 x_{18n} &= k \prod_{i=0}^{n-1} \frac{(1+(6i+2)cks)(1+(6i+5)cks)}{(1+(6i+3)cks)(1+(6i+6)cks)}, \\
 x_{18n+1} &= \frac{l}{1+dlt} \prod_{i=0}^{n-1} \frac{(1+(6i+3)dlt)(1+(6i+6)dlt)}{(1+(6i+4)dlt)(1+(6i+7)dlt)}, \\
 x_{18n+2} &= \frac{m}{1+emu} \prod_{i=0}^{n-1} \frac{(1+(6i+3)emu)(1+(6i+6)emu)}{(1+(6i+4)emu)(1+(6i+7)emu)}, \\
 x_{18n+3} &= \frac{p}{1+fpv} \prod_{i=0}^{n-1} \frac{(1+(6i+3)fpv)(1+(6i+6)fpv)}{(1+(6i+4)fpv)(1+(6i+7)fpv)}, \\
 x_{18n+4} &= \frac{q(1+agq)}{(1+2agq)} \prod_{i=0}^{n-1} \frac{(1+(6i+4)agq)(1+(6i+7)agq)}{(1+(6i+5)agq)(1+(6i+8)agq)}, \\
 x_{18n+5} &= \frac{r(1+bhr)}{(1+2bhr)} \prod_{i=0}^{n-1} \frac{(1+(6i+4)bhr)(1+(6i+7)bhr)}{(1+(6i+5)bhr)(1+(6i+8)bhr)}, \\
 x_{18n+6} &= \frac{s(1+cks)}{(1+2cks)} \prod_{i=0}^{n-1} \frac{(1+(6i+4)cks)(1+(6i+7)cks)}{(1+(6i+5)cks)(1+(6i+8)cks)}, \\
 x_{18n+7} &= \frac{t(1+2dlt)}{(1+3dlt)} \prod_{i=0}^{n-1} \frac{(1+(6i+5)dlt)(1+(6i+8)dlt)}{(1+(6i+6)dlt)(1+(6i+9)dlt)}, \\
 x_{18n+8} &= \frac{u(1+2emu)}{(1+3emu)} \prod_{i=0}^{n-1} \frac{(1+(6i+5)emu)(1+(6i+8)emu)}{(1+(6i+6)emu)(1+(6i+9)emu)}, \\
 x_{18n+9} &= \frac{v(1+2fpv)}{(1+3fpv)} \prod_{i=0}^{n-1} \frac{(1+(6i+5)fpv)(1+(6i+8)fpv)}{(1+(6i+6)fpv)(1+(6i+9)fpv)}, \\
 y_{18n-8} &= l \prod_{i=0}^{n-1} \frac{(1+6idl)(1+(6i+3)dlt)}{(1+(6i+1)dlt)(1+(6i+4)dlt)}, \\
 y_{18n-7} &= m \prod_{i=0}^{n-1} \frac{(1+6iemu)(1+(6i+3)emu)}{(1+(6i+1)emu)(1+(6i+4)emu)}, \\
 y_{18n-6} &= p \prod_{i=0}^{n-1} \frac{(1+6fpv)(1+(6i+3)fpv)}{(1+(6i+1)fpv)(1+(6i+4)fpv)}, \\
 y_{18n-5} &= q \prod_{i=0}^{n-1} \frac{(1+(6i+1)agq)(1+(6i+4)agq)}{(1+(6i+2)agq)(1+(6i+5)agq)}, \\
 y_{18n-4} &= r \prod_{i=0}^{n-1} \frac{(1+(6i+1)bhr)(1+(6i+4)bhr)}{(1+(6i+2)bhr)(1+(6i+5)bhr)},
 \end{aligned}$$

$$\begin{aligned}
y_{18n-3} &= s \prod_{i=0}^{n-1} \frac{(1+(6i+1)cks)(1+(6i+4)cks)}{(1+(6i+2)cks)(1+(6i+5)cks)}, \\
y_{18n-2} &= t \prod_{i=0}^{n-1} \frac{(1+(6i+2)dlt)(1+(6i+5)dlt)}{(1+(6i+3)dlt)(1+(6i+6)dlt)}, \\
y_{18n-1} &= u \prod_{i=0}^{n-1} \frac{(1+(6i+2)emu)(1+(6i+5)emu)}{(1+(6i+3)emu)(1+(6i+6)emu)}, \\
y_{18n} &= v \prod_{i=0}^{n-1} \frac{(1+(6i+2)fpv)(1+(6i+5)fpv)}{(1+(6i+3)fpv)(1+(6i+6)fpv)}, \\
y_{18n+1} &= \frac{a}{1+agq} \prod_{i=0}^{n-1} \frac{(1+(6i+3)agq)(1+(6i+6)agq)}{(1+(6i+4)agq)(1+(6i+7)agq)}, \\
y_{18n+2} &= \frac{b}{1+bhr} \prod_{i=0}^{n-1} \frac{(1+(6i+3)bhr)(1+(6i+6)bhr)}{(1+(6i+4)bhr)(1+(6i+7)bhr)}, \\
y_{18n+3} &= \frac{c}{1+cks} \prod_{i=0}^{n-1} \frac{(1+(6i+3)cks)(1+(6i+6)cks)}{(1+(6i+4)cks)(1+(6i+7)cks)}, \\
y_{18n+4} &= \frac{d(1+dlt)}{(1+2dlt)} \prod_{i=0}^{n-1} \frac{(1+(6i+4)dlt)(1+(6i+7)dlt)}{(1+(6i+5)dlt)(1+(6i+8)dlt)}, \\
y_{18n+5} &= \frac{e(1+emu)}{(1+2emu)} \prod_{i=0}^{n-1} \frac{(1+(6i+4)emu)(1+(6i+7)emu)}{(1+(6i+5)emu)(1+(6i+8)emu)}, \\
y_{18n+6} &= \frac{f(1+fpv)}{(1+2fpv)} \prod_{i=0}^{n-1} \frac{(1+(6i+4)fpv)(1+(6i+7)fpv)}{(1+(6i+5)fpv)(1+(6i+8)fpv)}, \\
y_{18n+7} &= \frac{g(1+2agq)}{(1+3agq)} \prod_{i=0}^{n-1} \frac{(1+(6i+5)agq)(1+(6i+8)agq)}{(1+(6i+6)agq)(1+(6i+9)agq)}, \\
y_{18n+8} &= \frac{h(1+2bhr)}{(1+3bhr)} \prod_{i=0}^{n-1} \frac{(1+(6i+5)bhr)(1+(6i+8)bhr)}{(1+(6i+6)bhr)(1+(6i+9)bhr)}, \\
y_{18n+9} &= \frac{k(1+2cks)}{(1+3cks)} \prod_{i=0}^{n-1} \frac{(1+(6i+5)cks)(1+(6i+8)cks)}{(1+(6i+6)cks)(1+(6i+9)cks)}.
\end{aligned}$$

Proof. For $n = 0$, the result holds. Now, assume that $n > 0$ and that our assumption holds for $n - 1$. That is,

$$\begin{aligned}
x_{18n-17} &= \frac{l}{1+dlt} \prod_{i=0}^{n-2} \frac{(1+(6i+3)dlt)(1+(6i+6)dlt)}{(1+(6i+4)dlt)(1+(6i+7)dlt)}, \\
x_{18n-16} &= \frac{m}{1+emu} \prod_{i=0}^{n-2} \frac{(1+(6i+3)emu)(1+(6i+6)emu)}{(1+(6i+4)emu)(1+(6i+7)emu)}, \\
x_{18n-15} &= \frac{p}{1+fpv} \prod_{i=0}^{n-2} \frac{(1+(6i+3)fpv)(1+(6i+6)fpv)}{(1+(6i+4)fpv)(1+(6i+7)fpv)}, \\
x_{18n-14} &= \frac{q(1+agq)}{(1+2agq)} \prod_{i=0}^{n-2} \frac{(1+(6i+4)agq)(1+(6i+7)agq)}{(1+(6i+5)agq)(1+(6i+8)agq)}, \\
x_{18n-13} &= \frac{r(1+bhr)}{(1+2bhr)} \prod_{i=0}^{n-2} \frac{(1+(6i+4)bhr)(1+(6i+7)bhr)}{(1+(6i+5)bhr)(1+(6i+8)bhr)}, \\
x_{18n-12} &= \frac{s(1+cks)}{(1+2cks)} \prod_{i=0}^{n-2} \frac{(1+(6i+4)cks)(1+(6i+7)cks)}{(1+(6i+5)cks)(1+(6i+8)cks)}, \\
x_{18n-11} &= \frac{t(1+2dlt)}{(1+3dlt)} \prod_{i=0}^{n-2} \frac{(1+(6i+5)dlt)(1+(6i+8)dlt)}{(1+(6i+6)dlt)(1+(6i+9)dlt)}, \\
x_{18n-10} &= \frac{u(1+2emu)}{(1+3emu)} \prod_{i=0}^{n-2} \frac{(1+(6i+5)emu)(1+(6i+8)emu)}{(1+(6i+6)emu)(1+(6i+9)emu)},
\end{aligned}$$

$$x_{18n-9} = \frac{v(1+2fpv)}{(1+3fpv)} \prod_{i=0}^{n-2} \frac{(1+(6i+5)fpv)(1+(6i+8)fpv)}{(1+(6i+6)fpv)(1+(6i+9)fpv)}$$

$$\begin{aligned}
y_{18n-17} &= \frac{a}{1+agq} \prod_{i=0}^{n-2} \frac{(1+(6i+3)agq)(1+(6i+6)agq)}{(1+(6i+4)agq)(1+(6i+7)agq)}, \\
y_{18n-16} &= \frac{b}{1+bhr} \prod_{i=0}^{n-2} \frac{(1+(6i+3)bhr)(1+(6i+6)bhr)}{(1+(6i+4)bhr)(1+(6i+7)bhr)}, \\
y_{18n-15} &= \frac{c}{1+cks} \prod_{i=0}^{n-2} \frac{(1+(6i+3)cks)(1+(6i+6)cks)}{(1+(6i+4)cks)(1+(6i+7)cks)}, \\
y_{18n-14} &= \frac{d(1+dlt)}{(1+2dlt)} \prod_{i=0}^{n-2} \frac{(1+(6i+4)dlt)(1+(6i+7)dlt)}{(1+(6i+5)dlt)(1+(6i+8)dlt)}, \\
y_{18n-13} &= \frac{e(1+emu)}{(1+2emu)} \prod_{i=0}^{n-2} \frac{(1+(6i+4)emu)(1+(6i+7)emu)}{(1+(6i+5)emu)(1+(6i+8)emu)}, \\
y_{18n-12} &= \frac{f(1+fpv)}{(1+2fpv)} \prod_{i=0}^{n-2} \frac{(1+(6i+4)fpv)(1+(6i+7)fpv)}{(1+(6i+5)fpv)(1+(6i+8)fpv)}, \\
y_{18n-11} &= \frac{g(1+2agq)}{(1+3agq)} \prod_{i=0}^{n-2} \frac{(1+(6i+5)agq)(1+(6i+8)agq)}{(1+(6i+6)agq)(1+(6i+9)agq)}, \\
y_{18n-10} &= \frac{h(1+2bhr)}{(1+3bhr)} \prod_{i=0}^{n-2} \frac{(1+(6i+5)bhr)(1+(6i+8)bhr)}{(1+(6i+6)bhr)(1+(6i+9)bhr)}, \\
y_{18n-9} &= \frac{k(1+2cks)}{(1+3cks)} \prod_{i=0}^{n-2} \frac{(1+(6i+5)cks)(1+(6i+8)cks)}{(1+(6i+6)cks)(1+(6i+9)cks)}.
\end{aligned}$$

Now, it follows from system 2.1 that

$$\begin{aligned}
x_{18n-8} &= \frac{y_{18n-17}}{1 + y_{18n-11}x_{18n-14}y_{18n-17}} \\
&= \frac{\frac{a}{1+agq} \prod_{i=0}^{n-2} \frac{(1+(6i+3)agq)(1+(6i+6)agq)}{(1+(6i+4)agq)(1+(6i+7)agq)}}{1 + \left(\frac{g(1+2agq)}{(1+3agq)} \prod_{i=0}^{n-2} \frac{(1+(6i+5)agq)(1+(6i+8)agq)}{(1+(6i+6)agq)(1+(6i+9)agq)} \prod_{i=0}^{n-2} \frac{(1+(6i+4)agq)(1+(6i+7)agq)}{(1+(6i+5)agq)(1+(6i+8)agq)} \right. \\
&\quad \left. \frac{a}{1+agq} \prod_{i=0}^{n-2} \frac{(1+(6i+3)agq)(1+(6i+6)agq)}{(1+(6i+4)agq)(1+(6i+7)agq)} \right)} \\
&= \frac{\frac{a}{1+agq} \prod_{i=0}^{n-2} \frac{(1+(6i+3)agq)(1+(6i+6)agq)}{(1+(6i+4)agq)(1+(6i+7)agq)}}{1 + \frac{agq}{(1+3agq)} \prod_{i=0}^{n-2} \frac{(1+(6i+3)agq)(1+(6i+6)agq)}{(1+(6i+6)agq)(1+(6i+9)agq)}} = \frac{\frac{a}{1+agq} \prod_{i=0}^{n-2} \frac{(1+(6i+3)agq)(1+(6i+6)agq)}{(1+(6i+4)agq)(1+(6i+7)agq)}}{1 + \frac{agq(1+3agq)}{(1+3agq)(1+(6n-3)agq)}} \\
&= \frac{\frac{a}{1+agq} \prod_{i=0}^{n-2} \frac{(1+(6i+3)agq)(1+(6i+6)agq)}{(1+(6i+4)agq)(1+(6i+7)agq)}}{\frac{(1+(6n-2)agq)}{(1+(6n-3)agq)}} \\
&= \frac{a}{1+agq} \prod_{i=0}^{n-2} \frac{(1+(6i+3)agq)(1+(6i+6)agq)}{(1+(6i+4)agq)(1+(6i+7)agq)} \frac{(1+(6n-3)agq)}{(1+(6n-2)agq)}.
\end{aligned}$$

Hence, we have

$$x_{18n-8} = a \prod_{i=0}^{n-1} \frac{(1+6iagq)(1+(6i+3)agq)}{(1+(6i+1)agq)(1+(6i+4)agq)},$$

and

$$\begin{aligned}
y_{18n-8} &= \frac{x_{18n-17}}{1 + x_{18n-11}y_{18n-14}x_{18n-17}} \\
&= \frac{\frac{l}{1+dlt} \prod_{i=0}^{n-2} \frac{(1+(6i+3)dlt)(1+(6i+6)dlt)}{(1+(6i+4)dlt)(1+(6i+7)dlt)}}{1 + \left(\frac{t(1+2dlt)}{(1+3dlt)} \prod_{i=0}^{n-2} \frac{(1+(6i+5)dlt)(1+(6i+8)dlt)}{(1+(6i+6)dlt)(1+(6i+9)dlt)} \frac{l}{1+dlt} \prod_{i=0}^{n-2} \frac{(1+(6i+3)dlt)(1+(6i+6)dlt)}{(1+(6i+4)dlt)(1+(6i+7)dlt)} \right. \\
&\quad \left. \frac{d(1+dlt)}{(1+2dlt)} \prod_{i=0}^{n-2} \frac{(1+(6i+4)dlt)(1+(6i+7)dlt)}{(1+(6i+5)dlt)(1+(6i+8)dlt)} \right)} \\
&= \frac{\frac{l}{1+dlt} \prod_{i=0}^{n-2} \frac{(1+(6i+3)dlt)(1+(6i+6)dlt)}{(1+(6i+4)dlt)(1+(6i+7)dlt)}}{1 + \frac{dlt}{(1+3dlt)} \prod_{i=0}^{n-2} \frac{(1+(6i+3)dlt)(1+(6i+6)dlt)}{(1+(6i+6)dlt)(1+(6i+9)dlt)}} = \frac{\frac{l}{1+dlt} \prod_{i=0}^{n-2} \frac{(1+(6i+3)dlt)(1+(6i+6)dlt)}{(1+(6i+4)dlt)(1+(6i+7)dlt)}}{1 + \frac{dlt(1+3dlt)}{(1+3dlt)(1+(6n-3)dlt)}} \\
&= \frac{\frac{l}{1+dlt} \prod_{i=0}^{n-2} \frac{(1+(6i+3)dlt)(1+(6i+6)dlt)}{(1+(6i+4)dlt)(1+(6i+7)dlt)}}{\frac{(1+(6n-2)dlt)}{(1+(6n-3)dlt)}} \\
&= \frac{l}{1+dlt} \prod_{i=0}^{n-2} \frac{(1+(6i+3)dlt)(1+(6i+6)dlt)}{(1+(6i+4)dlt)(1+(6i+7)dlt)} \frac{(1+(6n-3)dlt)}{(1+(6n-2)dlt)}.
\end{aligned}$$

Therefore, we have

$$y_{18n-8} = l \prod_{i=0}^{n-1} \frac{(1+6idl)(1+(6i+3)dl)}{(1+(6i+1)dl)(1+(6i+4)dl)}.$$

Similarly, we can prove the other relations. $\square$

Lemma 2.2. *If x_i, y_i , since $i = -8, -7, -6, \dots, -1, 0$ are arbitrary real numbers and let $\{x_i, y_i\}$ be solutions of system 2.1, then the following statements are true*

- (i) *If $x_{-8} = a = 0$ then we get*
 $x_{18n-8} = y_{18n+1} = 0, x_{18n-2} = y_{18n+7} = g, x_{18n+4} = y_{18n-5} = q.$
- (ii) *If $x_{-7} = b = 0$ then we obtain*
 $x_{18n-7} = y_{18n+2} = 0, x_{18n-1} = y_{18n+8} = h, x_{18n+5} = y_{18n-4} = r.$
- (iii) *If $x_{-6} = c = 0$ then*
 $x_{18n-6} = y_{18n+3} = 0, x_{18n} = y_{18n+9} = k, x_{18n+6} = y_{18n-3} = s.$
- (iv) *If $x_{-5} = d = 0$ then*
 $x_{18n-5} = y_{18n+4} = 0, x_{18n+1} = y_{18n-8} = l, x_{18n+7} = y_{18n-2} = t.$
- (v) *If $x_{-4} = e = 0$ then*
 $x_{18n-4} = y_{18n+5} = 0, x_{18n+2} = y_{18n-7} = m, x_{18n+8} = y_{18n-1} = u.$
- (vi) *If $x_{-3} = f = 0$ then we see that*
 $x_{18n-3} = y_{18n+6} = 0, x_{18n+3} = y_{18n-6} = p, x_{18n+9} = y_{18n} = v.$
- (vii) *If $x_{-2} = g = 0$ then we have*
 $x_{18n-2} = y_{18n+7} = 0, x_{18n+4} = y_{18n-5} = q, x_{18n-8} = y_{18n+1} = a.$
- (viii) *If $x_{-1} = h = 0$ then*
 $x_{18n-1} = y_{18n+8} = 0, x_{18n+5} = y_{18n-4} = r, x_{18n-7} = y_{18n+2} = b.$
- (ix) *If $x_0 = k = 0$ then we get*
 $x_{18n} = y_{18n+9} = 0, x_{18n+6} = y_{18n-3} = s, x_{18n-6} = y_{18n+3} = c.$
- (x) *If $y_{-8} = l = 0$ then*
 $y_{18n-8} = x_{18n+1} = 0, y_{18n-2} = x_{18n+7} = t, y_{18n+4} = x_{18n-5} = d.$
- (xi) *If $y_{-7} = m = 0$ then we get*
 $y_{18n-7} = x_{18n+2} = 0, y_{18n-1} = x_{18n+8} = u, y_{18n+5} = x_{18n-4} = e.$
- (xii) *If $y_{-6} = p = 0$ then we have*
 $y_{18n-6} = x_{18n+3} = 0, y_{18n} = x_{18n+9} = v, y_{18n+6} = x_{18n-3} = f.$
- (xiii) *If $y_{-5} = q = 0$ then*
 $y_{18n-5} = x_{18n+4} = 0, y_{18n+1} = x_{18n-8} = a, y_{18n+7} = x_{18n-2} = g.$
- (xiv) *If $y_{-4} = r = 0$ then we see*
 $y_{18n-4} = x_{18n+5} = 0, y_{18n+2} = x_{18n-7} = b, y_{18n+8} = x_{18n-1} = h.$
- (xv) *If $y_{-3} = s = 0$ then*
 $y_{18n-3} = x_{18n+6} = 0, y_{18n+3} = x_{18n-6} = c, y_{18n+9} = x_{18n} = k.$
- (xvi) *If $y_{-2} = t = 0$ then*
 $y_{18n-2} = x_{18n+7} = 0, y_{18n+4} = x_{18n-5} = d, y_{18n-8} = x_{18n+1} = l.$
- (xvii) *If $y_{-1} = u = 0$ then we get*
 $y_{18n-1} = x_{18n+8} = 0, y_{18n+5} = x_{18n-4} = e, y_{18n-7} = x_{18n+2} = m.$
- (xviii) *If $y_0 = v = 0$ then we obtain*
 $y_{18n} = x_{18n+9} = 0, y_{18n+6} = x_{18n-3} = f, y_{18n-6} = x_{18n+3} = p.$

Proof. The proof follows from the form of the solutions of system 2.1. $\square$

Lemma 2.3. *Let $\{x_n, y_n\}$ be a positive solution of System 2.1, then $\{x_n\}, \{y_n\}$ are bounded and converges to zero.*

Proof. It follows from System 2.1 that

$$x_{n+1} = \frac{y_{n-8}}{1 + y_{n-2}x_{n-5}y_{n-8}} \leq y_{n-8}, \quad y_{n+1} = \frac{x_{n-8}}{1 + x_{n-2}y_{n-5}x_{n-8}} \leq x_{n-8}.$$

Then we have

$$x_{n+10} = \frac{y_{n+1}}{1 + y_{n+7}x_{n+4}y_{n+1}} \leq y_{n+1} \leq x_{n-8}, \quad y_{n+10} = \frac{x_{n+1}}{1 + x_{n+7}y_{n+4}x_{n+1}} \leq x_{n+1} \leq y_{n-8}.$$

Then the subsequences $\{x_{18n-8}\}_{n=0}^{\infty}, \{x_{18n-7}\}_{n=0}^{\infty}, \dots, \{x_{18n+9}\}_{n=0}^{\infty}$ are decreasing and so are bounded from above by $M = \max\{x_{-8}, x_{-7}, \dots, x_8, x_9\}$. Also, the subsequences $\{y_{18n-8}\}_{n=0}^{\infty}, \{y_{18n-7}\}_{n=0}^{\infty}, \dots, \{y_{18n+9}\}_{n=0}^{\infty}$ are decreasing and so are bounded from above by $L = \max\{y_{-8}, y_{-7}, \dots, y_8, y_9\}$. $\square$

2.2. The second system: $x_{n+1} = \frac{y_{n-8}}{1+y_{n-2}x_{n-5}y_{n-8}}, y_{n+1} = \frac{x_{n-8}}{1-x_{n-2}y_{n-5}x_{n-8}}$

In this subsection, we get the solutions of the following system of the difference equations

$$x_{n+1} = \frac{y_{n-8}}{1+y_{n-2}x_{n-5}y_{n-8}}, y_{n+1} = \frac{x_{n-8}}{1-x_{n-2}y_{n-5}x_{n-8}}, \quad (2.1)$$

where the initial conditions are arbitrary real numbers with $y_{-2}x_{-5}y_{-8}, y_{-1}x_{-4}y_{-7}, y_{0}x_{-3}y_{-6} \neq -1$ and $x_{-2}y_{-5}x_{-8}, x_{-1}y_{-4}x_{-7}, x_{0}y_{-3}x_{-6} \neq 1$.

Theorem 2.4. System 2.1 has a periodic solution of period eighteen. Moreover $\{x_n, y_n\}_{n=-8}^{\infty}$ takes the form

$$\begin{aligned} \{x_n\} &= \left\{ a, b, c, d, e, f, g, h, k, \frac{l}{1+dl}, \frac{m}{1+emu}, \frac{p}{1+fpv}, q - agq^2, r - bhr^2, s - cks^2, \frac{t}{1+dl}, \frac{u}{1+emu}, \frac{v}{1+fpv}, a, b, c, \dots \right\}, \\ \{y_n\} &= \left\{ l, m, p, q, r, s, t, u, v, \frac{a}{1-agq}, \frac{b}{1-bhr}, \frac{c}{1-cks}, d(1+dl), e(1+emu), f(1+fpv), \frac{g}{1-agq}, \frac{h}{1-bhr}, \frac{k}{1-cks}, l, m, p, \dots \right\}. \end{aligned}$$

or

$$\begin{aligned} x_{18n-8} &= a, x_{18n-7} = b, x_{18n-6} = c, x_{18n-5} = d, x_{18n-4} = e, x_{18n-3} = f, \\ x_{18n-2} &= g, x_{18n-1} = h, x_{18n} = k, x_{18n+1} = \frac{l}{1+dl}, x_{18n+2} = \frac{m}{1+emu}, \\ x_{18n+3} &= \frac{p}{1+fpv}, x_{18n+4} = q - agq^2, x_{18n+5} = r - bhr^2, \\ x_{18n+6} &= s - cks^2, x_{18n+7} = \frac{t}{1+dl}, x_{18n+8} = \frac{u}{1+emu}, x_{18n+9} = \frac{v}{1+fpv}, \end{aligned}$$

and

$$\begin{aligned} y_{18n-8} &= l, y_{18n-7} = m, y_{18n-6} = p, y_{18n-5} = q, y_{18n-4} = r, y_{18n-3} = s, \\ y_{18n-2} &= t, y_{18n-1} = u, y_{18n} = v, y_{18n+1} = \frac{a}{1-agq}, y_{18n+2} = \frac{b}{1-bhr}, \\ y_{18n+3} &= \frac{c}{1-cks}, y_{18n+4} = d(1+dl), y_{18n+5} = e(1+emu), \\ y_{18n+6} &= f(1+fpv), y_{18n+7} = \frac{g}{1-agq}, y_{18n+8} = \frac{h}{1-bhr}, y_{18n+9} = \frac{k}{1-cks}. \end{aligned}$$

Proof. For $n = 0$, the result holds. Now, assume that $n > 0$ and that our assumption holds for $n - 1$. That is,

$$\begin{aligned} x_{18n-17} &= \frac{l}{1+dl}, x_{18n-16} = \frac{m}{1+emu}, x_{18n-15} = \frac{p}{1+fpv}, \\ x_{18n-14} &= q - agq^2, x_{18n-13} = r - bhr^2, x_{18n-12} = s - cks^2, \\ x_{18n-11} &= \frac{t}{1+dl}, x_{18n-10} = \frac{u}{1+emu}, x_{18n-9} = \frac{v}{1+fpv}, \end{aligned}$$

and

$$\begin{aligned} y_{18n-17} &= \frac{a}{1-agq}, y_{18n-16} = \frac{b}{1-bhr}, y_{18n-15} = \frac{c}{1-cks}, \\ y_{18n-14} &= d(1+dl), y_{18n-13} = e(1+emu), y_{18n-12} = f(1+fpv), \\ y_{18n-11} &= \frac{g}{1-agq}, y_{18n-10} = \frac{h}{1-bhr}, y_{18n-9} = \frac{k}{1-cks}. \end{aligned}$$

Now, it follows from system 2.1 that

$$\begin{aligned} x_{18n-8} &= \frac{y_{18n-17}}{1+y_{18n-11}x_{18n-14}y_{18n-17}} = \frac{\frac{a}{1-agq}}{1+\frac{g}{1+fpv}(q-agq^2)\frac{a}{1-agq}} \\ &= \frac{\frac{a}{1-agq}}{1+\frac{agq}{1-agq}} = \frac{a}{1-agq+agq} = a, \end{aligned}$$

also,

$$\begin{aligned} y_{18n-8} &= \frac{x_{18n-17}}{1-x_{18n-11}y_{18n-14}x_{18n-17}} = \frac{\frac{l}{1+dl}}{1-\frac{t}{1+dl}d(1+dl)\frac{l}{1+dl}} \\ &= \frac{\frac{l}{1+dl}}{1-\frac{dl}{1+dl}} = l. \end{aligned}$$

The other relations can be proved by similar way. □

The following cases can be proved similarly.

2.3. The third system: $x_{n+1} = \frac{y_{n-8}}{1+y_{n-2}x_{n-5}y_{n-8}}, y_{n+1} = \frac{x_{n-8}}{-1+x_{n-2}y_{n-5}x_{n-8}}$

In this part, we obtain the form of the solutions of the following system of the difference equations

$$x_{n+1} = \frac{y_{n-8}}{1+y_{n-2}x_{n-5}y_{n-8}}, y_{n+1} = \frac{x_{n-8}}{-1+x_{n-2}y_{n-5}x_{n-8}}, \quad (2.2)$$

where the initial conditions are arbitrary real numbers with $y_{-2}x_{-5}y_{-8}, y_{-1}x_{-4}y_{-7}, y_0x_{-3}y_{-6} \neq -1$ and $x_{-2}y_{-5}x_{-8}, x_{-1}y_{-4}x_{-7}, x_0y_{-3}x_{-6} \neq 1$.

Theorem 2.5. System 2.2 has a periodic solution of period (36) which takes the form

$$\begin{aligned} \{x_n\} &= \left\{ \begin{array}{l} a, b, c, d, e, f, g, h, k, \frac{l}{1+dl}, \frac{m}{1+emu}, \frac{p}{1+fpv}, \frac{q(-1+agq)}{-1+2agq}, \\ \frac{r(-1+bhr)}{-1+2bhr}, \frac{s(-1+cks)}{-1+2cks}, \frac{t}{1-dl}, \frac{u}{1-emu}, \frac{v}{1-fpv}, \\ -a, -b, -c, -d, -e, -f, -g, -h, -k, \frac{-l}{1+dl}, \frac{-m}{1+emu}, \frac{-p}{1+fpv}, \\ \frac{-q(-1+agq)}{-1+2agq}, \frac{-r(-1+bhr)}{-1+2bhr}, \frac{-s(-1+cks)}{-1+2cks}, \frac{-t}{-1+dl}, \\ \frac{u}{-1+emu}, \frac{v}{-1+fpv}, a, b, c, d, \dots \end{array} \right\}, \\ \{y_n\} &= \left\{ \begin{array}{l} l, m, p, q, r, s, t, u, v, \frac{a}{-1+agq}, \frac{b}{-1+bhr}, \frac{c}{-1+cks}, \\ -d(1+dl), -e(1+emu), -f(1+fpv), \frac{g-2ag^2q}{-1+agq}, \\ \frac{h-2bh^2r}{-1+bhr}, \frac{k-2ck^2s}{-1+cks}, \frac{l(-1+dl)}{1+dl}, \frac{m(-1+emu)}{1+emu}, \frac{p(-1+fpv)}{1+fpv}, \frac{q}{-1+2agq}, \\ \frac{r}{-1+2bhr}, \frac{s}{-1+2cks}, \frac{t(1+dl)}{-1+dl}, \frac{u(1+emu)}{-1+emu}, \frac{v(1+fpv)}{-1+fpv}, \frac{a(-1+2agq)}{-1+agq}, \\ \frac{b(-1+2bhr)}{-1+bhr}, \frac{c(-1+2cks)}{-1+cks}, d-d^2lt, e-e^2mu, f-f^2pv, \\ \frac{g}{1-agq}, \frac{h}{1-bhr}, \frac{k}{1-cks}, l, m, p, \dots \end{array} \right\}. \end{aligned}$$

2.4. The fourth system: $x_{n+1} = \frac{y_{n-8}}{1+y_{n-2}x_{n-5}y_{n-8}}, y_{n+1} = \frac{x_{n-8}}{-1-x_{n-2}y_{n-5}x_{n-8}}$

In this case, we solve the form of the solutions of the following system of the difference equations

$$x_{n+1} = \frac{y_{n-8}}{1+y_{n-2}x_{n-5}y_{n-8}}, y_{n+1} = \frac{x_{n-8}}{-1-x_{n-2}y_{n-5}x_{n-8}}, \quad (2.3)$$

where the initial conditions are arbitrary real numbers with $y_{-2}x_{-5}y_{-8}, y_{-1}x_{-4}y_{-7}, y_0x_{-3}y_{-6} \neq -1$ and $x_{-2}y_{-5}x_{-8}, x_{-1}y_{-4}x_{-7}, x_0y_{-3}x_{-6} \neq -1$.

Theorem 2.6. Every solutions of system 2.3 are periodic with period (36). Moreover $\{x_n, y_n\}_{n=-8}^{\infty}$ takes the form

$$\begin{aligned} \{x_n\} &= \left\{ \begin{array}{l} a, b, c, d, e, f, g, h, k, \frac{l}{1+dl}, \frac{m}{1+emu}, \frac{p}{1+fpv}, q(1+agq), \\ r(1+bhr), s(1+cks), \frac{t(1+2dl)}{1+dl}, \frac{u(1+2emu)}{1+emu}, \frac{v(1+2fpv)}{1+fpv}, \\ \frac{a(-1+agq)}{-1+agq}, \frac{b(-1+bhr)}{-1+bhr}, \frac{c(-1+cks)}{-1+cks}, \frac{-d}{1+2dl}, \frac{-e}{1+2emu}, \\ \frac{-f}{1+2fpv}, \frac{g(1+agq)}{-1+agq}, \frac{h(1+bhr)}{-1+bhr}, \frac{k(1+cks)}{-1+cks}, \frac{-l(1+2dl)}{1+dl}, \\ \frac{-m(1+2emu)}{1+emu}, \frac{-p(1+2fpv)}{1+fpv}, q(-1+agq), r(-1+bhr), \\ s(-1+cks), \frac{-t}{1+dl}, \frac{-u}{1+emu}, \frac{-v}{1+fpv}, a, b, c, \dots \end{array} \right\}, \\ \{y_n\} &= \left\{ \begin{array}{l} l, m, p, q, r, s, t, u, v, \frac{-a}{1+agq}, \frac{-b}{1+bhr}, \frac{-c}{1+cks}, \\ \frac{-d(1+dl)}{1+2dl}, \frac{-e(1+emu)}{1+2emu}, \frac{-f(1+fpv)}{1+2fpv}, \frac{g}{-1+agq}, \frac{h}{-1+bhr}, \\ \frac{k}{-1+cks}, -l, -m, -p, -q, -r, -s, -t, -u, -v, \\ \frac{a}{1+agq}, \frac{b}{1+bhr}, \frac{c}{1+cks}, \frac{d(1+dl)}{1+2dl}, \frac{e(1+emu)}{1+2emu}, \frac{f(1+fpv)}{1+2fpv}, \\ \frac{g}{1+agq}, \frac{h}{1+bhr}, \frac{k}{1+cks}, l, m, p, \dots \end{array} \right\}. \end{aligned}$$

3. Numerical examples

Here we consider some numerical examples to illustrate the behavior of the solutions of the systems which we studied.

Example 3.1. Consider the System 2.1 with the initial conditions $x_{-8} = 15, x_{-7} = -6.2, x_{-6} = -0.26, x_{-5} = -13, x_{-4} = 12, x_{-3} = 6, x_{-2} = 9, x_{-1} = -2, x_0 = -6, y_{-8} = 7, y_{-7} = 8, y_{-6} = -0.3, y_{-5} = 11, y_{-4} = 14, y_{-3} = 2.5, y_{-2} = 16, y_{-1} = -9, y_0 = -0.3$. See Figure 3.1 and see Figure 3.2 when we put $x_{-8} = 15, x_{-7} = 6.2, x_{-6} = 0.26, x_{-5} = 13, x_{-4} = 2, x_{-3} = 16, x_{-2} = 9, x_{-1} = 2, x_0 = 6, y_{-8} = 7, y_{-7} = 18, y_{-6} = 0.3, y_{-5} = 11, y_{-4} = 34, y_{-3} = 2.5, y_{-2} = 26, y_{-1} = 9, y_0 = 0.3$.




Figure 3.1




Figure 3.2

Example 3.2. See Figure 3.3, when we take System 2.1 and put $x_{-8} = -1.5$, $x_{-7} = 6.2$, $x_{-6} = 0.6$, $x_{-5} = 1.3$, $x_{-4} = 1.2$, $x_{-3} = 0.6$, $x_{-2} = 0.9$, $x_{-1} = 0.2$, $x_0 = 0.6$, $y_{-8} = 0.7$, $y_{-7} = -1.8$, $y_{-6} = 0.3$, $y_{-5} = 1.1$, $y_{-4} = 1.4$, $y_{-3} = 2.5$, $y_{-2} = 1.6$, $y_{-1} = 0.9$, $y_0 = 0.3$.




Figure 3.3

Example 3.3. Figure 3.4 below describe the periodic solutions of System 2.2 when $x_{-8} = -1.5$, $x_{-7} = -6.2$, $x_{-6} = 0.6$, $x_{-5} = 1.3$, $x_{-4} = 1.2$, $x_{-3} = -0.6$, $x_{-2} = 0.9$, $x_{-1} = 0.2$, $x_0 = 0.6$, $y_{-8} = 0.7$, $y_{-7} = -1.8$, $y_{-6} = 0.3$, $y_{-5} = 1.1$, $y_{-4} = 1.4$, $y_{-3} = 2.5$, $y_{-2} = 1.6$, $y_{-1} = 0.9$, $y_0 = 0.3$.




Figure 3.4

Example 3.4. Consider the System 2.3 when $x_{-8} = -1.5$, $x_{-7} = -6.2$, $x_{-6} = 0.6$, $x_{-5} = 1.3$, $x_{-4} = -1.2$, $x_{-3} = -0.6$, $x_{-2} = 0.9$, $x_{-1} = 0.2$, $x_0 = 0.6$, $y_{-8} = 0.7$, $y_{-7} = -1.8$, $y_{-6} = 0.3$, $y_{-5} = 1.1$, $y_{-4} = -1.4$, $y_{-3} = -2.5$, $y_{-2} = 1.6$, $y_{-1} = 0.9$, $y_0 = 0.3$. See Figure 3.5.




Figure 3.5

References

- [1] A. M. Ahmed, E. M. Elsayed, *The expressions of solutions and the periodicity of some rational difference equations system*, J. Appl. Math. Inform. **34**(1-2) (2016), 35–48.
- [2] M. M. El-Dessoky, *The form of solutions and periodicity for some systems of third-order rational difference equations*, Math. Meth. Appl. Sci., **39** (2016), 1076–1092.
- [3] M. M. El-Dessoky, E. M. Elsayed, *On the solutions and periodic nature of some systems of rational difference equations*, J. Comput. Anal. Appl., **18**(2) (2015), 206–218.
- [4] M. M. El-Dessoky, A. Khaliq, A. Asiri, *On some rational system of difference equations*, J. Nonlinear Sci. Appl., **11** (2018), 49–72.
- [5] E. M. Elsayed, T. F. Ibrahim, *Periodicity and solutions for some systems of nonlinear rational difference equations*, Hacettepe Journal of Mathematics and Statistics, **44** (6) (2015), 1361–1390.
- [6] E. M. Elsayed, A. Alghamdi, *The form of the solutions of nonlinear difference equations systems*, J. Nonlinear Sci. Appl., **9** (2016), 3179–3196.
- [7] N. Haddad, N. Touafek, J. F. T. Rabago, *Solution form of a higher-order system of difference equations and dynamical behavior of its special case*, Math. Methods Appl. Sci., **40** (2017), 3599–3607.
- [8] A. S. Kurbanli, *On the behavior of solutions of the system of rational difference equations $x_{n+1} = x_{n-1}/(y_n x_{n-1} - 1)$, $y_{n+1} = y_{n-1}/(x_n y_{n-1} - 1)$* , World Appl. Sci. J., **10**(11) (2010), 1344–1350.
- [9] A. S. Kurbanli, C. Çinar, D. Şimşek, *On the periodicity of solutions of the system of rational difference equations $x_{n+1} = x_{n-1} + y_n/(y_n x_{n-1} - 1)$, $y_{n+1} = y_{n-1} + x_n/(x_n y_{n-1} - 1)$* , Appl. Math., **2** (2011), 410–413.
- [10] A. S. Kurbanli, C. Çinar, I. Yalcinkaya, *On the behavior of positive solutions of the system of rational difference equations $x_{n+1} = x_{n-1}/(y_n x_{n-1} + 1)$, $y_{n+1} = y_{n-1}/(x_n y_{n-1} + 1)$* , Math. Comput. Modelling, **53** (2011), 1261–1267.
- [11] M. Mansour, M. M. El-Dessoky, E. M. Elsayed, *The form of the solutions and periodicity of some systems of difference equations*, Discrete Dyn. Nat. Soc., **2012** (2012), Article ID 406821, 1–17.
- [12] N. Touafek and E. M. Elsayed, *On the solutions of systems of rational difference equations*, Math. Comput. Modelling, **55** (2012), 1987–1997.
- [13] S. A. Abramov, D. E. Khmel'nov, *Denominators of rational solutions of linear difference systems of an arbitrary order*, Program. Comput. Softw., **38** (2) (2012), 84–91.
- [14] R. Abu-Saris, C. Cinar, I. Yalcinkaya, *On the Asymptotic Stability of $x_{n+1} = a + x_n x_{n-k}/x_n + x_{n-k}$* , Comput. Math. Appl., **56**(5) (2008), 1172–1175.
- [15] N. Battaloglu, C. Cinar, I. Yalcinkaya, *The dynamics of the difference equation $x_{n+1} = (\alpha x_{n-m})/(\beta + \gamma x_{n-(k+1)}^p)$* , Ars Combin., **97** (2010), 281–288.
- [16] O. H. Criner, W. E. Taylor, J. L. Williams, *On the solutions of a system of nonlinear difference equations*, Int. J. Difference Equ., **10**(2) (2015), 161–166.

- [17] I. Dekkar, N. Touafek, Y. Yazlik, *Global stability of a third-order nonlinear system of difference equations with period-two coefficients*, Rev. R. Acad. Cienc. Exactas Fis. Nat. Ser. A Mat., **111**(2) (2017), 325–347.
- [18] Q. Din, *Qualitative nature of a discrete predator-prey system*, Contem. Methods Math. Phys. Grav., **1** (2015), 27–42.
- [19] E. M. Elabbasy, H. El-Metwally, E. M. Elsayed, *Some properties and expressions of solutions for a class of nonlinear difference equation*, Util. Math., **87** (2012), 93–110.
- [20] E. M. Elabbasy, S. M. Eleissawy, *Periodicity and stability of solutions of rational difference systems*, Appl. Comput. Math., **1**(4) (2012), 1–6.
- [21] E. M. Elabbasy, A. A. Elsadany, S. Ibrahim, *Behavior and periodic solutions of a two-dimensional systems of rational difference equations*, J. Interpolat. Approx. Sci. Comput., **2016**(2) (2016), 87–104.
- [22] M. M. El-Dessoky, *Solution for rational systems of difference equations of order three*, Mathematics, **4**(3) (2016), 1–12.
- [23] M. M. El-Dessoky, E. M. Elsayed, E. O. Alzahrani, *The form of solutions and periodic nature for some rational difference equations systems*, J. Nonlinear Sci. Appl., **9** (2016), 5629–5647.
- [24] E. M. Elsayed, *Dynamics of recursive sequence of order two*, Kyungpook Math. J., **50**(4) (2010), 483–497.
- [25] E. M. Elsayed, *Solution and attractivity for a rational recursive sequence*, Discrete Dyn. Nat. Soc., **2011** (2011), Article ID 982309, 17 pages.
- [26] E. M. Elsayed, *On the dynamics of a higher-order rational recursive sequence*, Commun. Math. Anal., **12**(1) (2012), 117–133.
- [27] E. M. Elsayed, M. M. El-Dessoky, A. Alotaibi, *On the solutions of a general system of difference equations*, Discrete Dyn. Nat. Soc., **2012** (2012), Article ID 892571, 12 pages.
- [28] M. Gumus, O. Ocalan, *The qualitative analysis of a rational system of difference equations*, J. Fract. Calc. Appl., **9**(2) (2018), 113–126.
- [29] N. Haddad, N. Touafek, E. M. Elsayed, *A note on a system of difference equations*, Analele Stiintifice ale universitatii al i cauza din iasi serie noua matematica, **LXIII**(3) (2017), 599–606.
- [30] N. Haddad, N. Touafek, J. T. Rabago, *Well-defined solutions of a system of difference equations*, J. Appl. Math. Comput., **56** (1–2) (2018), 439–458.
- [31] Y. Halim, N. Touafek, Y. Yazlik, *Dynamic behavior of a second-order nonlinear rational difference equation*, Turkish J. Math., **39** (2015), 1004–1018.
- [32] Y. Halim, *A system of difference equations with solutions associated to Fibonacci numbers*, Int. J. Difference Equ., **11**(1) (2016), 65–77.
- [33] G. Hu, *Global behavior of a system of two nonlinear difference equation*, World J. Res. Rev., **2**(6) (2016), 36–38.
- [34] W. Ji, D. Zhang, L. Wang, *Dynamics and behaviors of a third-order system of difference equation*, Math. Sci., **7**(34) (2013), 1–6.
- [35] A. Khaliq, E. M. Elsayed, *The dynamics and solution of some difference equations*, J. Nonlinear Sci. Appl., **9** (2016), 1052–1063.
- [36] A. S. Kurbanli, *On the behavior of solutions of the system of rational difference equations $x_{n+1} = x_{n-1}/(y_n x_{n-1} - 1)$, $y_{n+1} = y_{n-1}/(x_n y_{n-1} - 1)$, $z_{n+1} = 1/y_n z_n$* , Adv. Difference Equ., **2011** (2011), 40.
- [37] A. S. Kurbanli, C. Çinar, M. E. Erdogan, *On the behavior of solutions of the system of rational difference equations $x_{n+1} = x_{n-1}/(y_n x_{n-1} - 1)$, $y_{n+1} = y_{n-1}/(x_n y_{n-1} - 1)$, $z_{n+1} = x_n/(y_n z_{n-1})$* , Appl. Math., **2** (2011), 1031–1038.
- [38] A. S. Kurbanli, I. Yalcinkaya, A. Gelisken, *On the behavior of the Solutions of the system of rational difference equations $x_{n+1} = x_{n-1}/(y_n x_{n-1} - 1)$, $y_{n+1} = y_{n-1}/(x_n y_{n-1} - 1)$, $z_{n+1} = x_n z_{n-1}/y_n$* , Int. J. Phys. Sci., **8**(2) (2013), 51–56.
- [39] D. Simsek, B. Demir, C. Cinar, *On the solutions of the system of difference equations $x_{n+1} = \max \left\{ \frac{1}{x_n}, \frac{y_n}{x_n} \right\}$, $y_{n+1} = \max \left\{ \frac{1}{y_n}, \frac{x_n}{y_n} \right\}$* , Discrete Dyn. Nat. Soc., **2009** (2009), Article ID 325296, 11 pages.
- [40] J. L. Williams, *On a class of nonlinear max-type difference equations*, Cogent Math., **3** (2016), 1269597, 1–11.
- [41] I. Yalcinkaya, C. Cinar, *On the solutions of a systems of difference equations*, Int. J. Math. Stat., **9** (S11) (2011), 62–67.
- [42] Y. Yazlik, D. T. Tollu, N. Taskara, *On the solutions of difference equation systems with Padovan numbers*, Appl. Math., **4** (2013), 15–20.
- [43] Y. Yazlik, D. T. Tollu, N. Taskara, *On the solutions of a max-type difference equation system*, Math. Meth. Appl. Sci., **38** (2015), 4388–4410.
- [44] Q. Zhang, J. Liu, Z. Luo, *Dynamical behavior of a system of third-order rational difference equation*, Discrete Dyn. Nat. Soc., **2015** (2015), Article ID 530453, 6 pages.