

## PAPER DETAILS

TITLE: The Performance and Stabilities of Certain Potato Breeding Clones Originated from tuberosa x andigena Crosses in the Western Turkey

AUTHORS: M B YILDIRIM,N BUDAK,Z YILDIRIM,C F alıskan And  AYLAK

PAGES: 1-5

ORIGINAL PDF URL: <https://dergipark.org.tr/tr/download/article-file/158953>

## **THE PERFORMANCE AND STABILITIES OF CERTAIN POTATO BREEDING CLONES ORIGINATED FROM TUBEROSA X ANDIGENA CROSSES IN THE WESTERN TURKEY**

*M.B. Yildirim, N. Budak, Z. Yildirim, C.F. Çalışkan and Ö. Çaylak*

*Ege University, Faculty of Agriculture, Department of Field Crops Bornova, İZMİR, TURKEY*

### **ABSTRACT**

Seventeen potato genotypes were grown at three locations, Bornova, Menemen and Bozdağ representing the western Turkey in 1989 and 1990.

Stability parameters were estimated for yield. The results indicated that the 1-27, 1-42 and 1-44 crosses originated from Cosima x R.143 had the highest performance in favorable environments with good stability. R. Burbank cultivar and the 2-1, 2-4, 1-43, 5-18, 9-5, 10-38 and 9-55 clones were found to be suitable for unfavorable environments.

Additional key words: Genotype x environment interaction, adaptation and Andigena.