

## PAPER DETAILS

TITLE: Identification of Gas Components in Lighter by Gas Chromatography: An Experiment for the Undergraduate Instrumental Analysis Laboratory Which Can Be Used With Distance Learning Applications

AUTHORS: Soner YAVUZ,Inci MORGIL

PAGES: 95-100

ORIGINAL PDF URL: <https://dergipark.org.tr/tr/download/article-file/156446>

## **IDENTIFICATION OF GAS COMPONENTS IN LIGHTER BY GAS CHROMATOGRAPHY: An Experiment for the Undergraduate Instrumental Analysis Laboratory Which Can Be Used With Distance Learning Applications**

**Soner YAVUZ and Inci MORGIL**  
Hacettepe University  
Faculty of Education,  
Department of Chemistry Education  
Ankara, TURKEY

### **ABSTRACT**

In the applications of instrumental analysis lessons, advanced instruments with the needed experiments are needed. During the lessons it is a fact that the more experiments are performed, the more learning will be. For this reason, experiments that do not last long and should be performed with more simple instruments and that increase students' attention with current events should be developed. It is thought that there is only propane gas in lighters used in daily life. However, in fact, in certain ratios, there are also other gases having similar structure besides propane gas. For these reasons, the identification of gas components in lighter has been thought. To enlighten this situation a simple experiment design has been planned.

**Keywords:** Laboratory instruction; computer-based learning; gas chromatography; Instrumental methods; and distance learning.

### **INTRODUCTION**

In the applications of instrumental analysis lessons, advanced instruments with the needed experiments are needed. During the lessons it is a fact that the more experiments are performed, the more learning will be. For this reason, experiments that do not last long and should be performed with more simple instruments and that increase students' attention with current events should be developed. When research that has been conducted so far is examined, it is seen that so many experiments including gas chromatography method have been performed. Instead of these comprehensive implementations, the number of simpler experiments that can be performed outside the laboratory should be increased. For these reasons, the identification of gas components in lighter has been thought. It is planned to prepare this experiment with its' photos and results as film clip or an experiment movie and also to establish this clip/movie in the web. By this way, various modules will be prepared and these can be used in the distance learning. Also these modules will contribute to the modules which will be prepared for various lectures and subjects.

At the beginning of the research, firstly some experiments about gas chromatography previously developed were investigated. Ellison (2005) conducted an experiment using gas-liquid chromatography to measure enthalpies of vaporization of very small quantities of organic compounds. In his experiment, giving students solid or liquid samples, students were required to dissolve these elements in methylene chloride and inject into gas chromatograph. With their retention times of air and the sample measuring a series of temperatures over partial temperatures or capacity factors,

enthalpies were calculated. Using mass spectrometry with selected ion monitoring and gas chromatography, Sobel and et al. (2005) found out the level of the phenol rates in the oil of winter plants. With the help of selected ion method, it enabled to carry out the analyses in a shorter time and to determine phenol  $\mu\text{g/ml}$ . Using gas chromatography, Latimer (2003) examined the process of elimination reactions for university organic laboratory.

In this study reactions of 1 bromopentane or 2 bromopentane from alkyl halides with sodium ethoxide or potassium tert-butoxide were observed. Knupp and et al. (2002) devised an experiment on headspace solid-phase micro extraction (HS-SPME) and gas chromatography-mass spectrometry in order to determine the flavor components in Eau de Cologne. With this experiment, it was aimed to teach chemistry students the methods of HS-SPME and GC-MS and to get them to do analytic applications. Slawson and et al. (2001) determined the productions of biocatalysts events that *Escherichia-coli* bacteria produced lactones from various cyclic ketones with the help of gas chromatography and mass spectroscopy. With the extraction of organic productions and thin layer chromatography-mass spectroscopy these productions were directly found. In this experiment, by using the biocatalyst reactions of bacteria, the students were provided with the chance of studying micro-organisms and learning the role of bacteria for synthetic chemistry.

Olson and et al. (2001) utilized gas-chromatograph to determine the effects of chlorine which is used in the process of disinfection of drinking water. As is known, the chlorine is crucial for the disinfection of drinking water, but it may also be transformed into toxic matters. By examining how trihalomethanes, one of those toxic matters, is formed and how it formed a substituting reaction, students were provided with the chance of making an analysis of the mixture of compounds connected to the environment. Simpson and Rivera (2001) designed an experiment for first class organic chemistry students to compare and contrast the retention times for a molecular surface of a series of polar and non-polar aromatic hydrocarbons on gas chromatography. With this experiment, the students were allowed to learn to compare and contrast the correlation analysis, molecular modeling, and gas chromatography technique. Bressette (2001) developed a simple semi-imperative gas chromatography method using NMR tubes. It was achieved that compounds are easily isolated and good results were succeeded using 5 mm NMR tubes.

Atterholt and et al. (2000) developed a syllabus for the university chemistry about environmental applications to be dealt more. Nahir (1999) analyzed gas chromatography and mass spectrometer, and the diesel fuel. With this experiment to be applied in the lessons of environmental chemistry and instrumental analysis, polycyclic hydrocarbons, mass spectra of single-ion-mode chromatograms and total-ion- chromatograms results were achieved. Sykes and Caple (1999) developed three experiments which use gas chromatography in regional characterization of some natural foods like pistachio pine nuts, the prairie turnip and maize. With this method, definition and isolation of some fatty acids were achieved. Smith and et al. (1998) developed a low cost gas chromatography detector which students can use in experiments. Approximately 450 first class students determined hydrocarbons and chloride in the gas chromatography experiments. Wedvik and et al. (1998) designed an experiment including gas chromatography, computer models and viscometry methods to clarify the intermolecular forces in chemistry courses better. With the gas chromatography, in a sample including n-alkanes mixtures, a simulation in the intermolecular forces was made. With the computational models, how the intermolecular forces occur was better identified.

By that way, London forces, dipole-dipole interaction, and hydrogen bonds were explained. With the organic liquids viscosity, physical features of intermolecular force were scaled. Williams and Pierce (1998) carried out two gas chromatography experiment in which orange oil and d-Limonene's dissolve in water was examined. D-

limonene was defined using anisol, and orange oil was defined using n-orbited Valencia oil. By the help of these experiments, students learnt how to define the concentration and the limit of the detections. Rhoads and et al. (1997) developed a gas chromatography medium for ozonolysis event in the organic chemistry laboratory. In this experiment, methyl oleate, stilbene, a-methylstilbene, 4-methylstyrene and a-methylstyrene were used. Brazdil (1996) defined oxygenate extracted from gasoline and analyzed by gas chromatography. By means of calculations the percentages of methanol, ethanol, or methyl tert-buthyl ether were obtained. Kegley and et al. (1996) developed a laboratory experiment for environmental chemistry to define polychlorinated biphenyl in river and gulf sediments which included gas chromatography. By increasing the interests of students for chemistry with this application of chemistry including real life events, an evaluation the PCB contaminated matters was made.

Kostecka and at all (1996) developed lab experiments, which are appropriate for non-science major students, including gas chromatography and mass spectrometry. By giving these experiments names such as "Discovering Molecular Secrets," "The Extraordinary Chemistry of Ordinary Things," "From Ozone to Oil Spills: Chemistry the Environment and You," and "Solving Crime through Analytical Chemistry," they were separately tested. Marriot and Carpenter (1996) established a system including gas chromatography capillary injection for instrumental analysis students. With this system a demonstration was successfully made to students. Frühling and Faßbinder (1981) also performed an experiment of gas chromatography with an inexpensive detector to be used in student- experiments. In their studies, they used semi-conductive gas sensor as detector.

## EXPERIMENT

It is thought that there is only propane gas in lighters used in daily life. However, in fact, in certain ratios, there are also other gases having similar structure besides propane gas. To enlighten this situation a simple experiment design has been planned.

**Experiment design mainly consists of 4 elements.**

1. **Injection Block:** It is a T shaped block in which the lighter gas is given to the column mechanism with the help of a syringe.
2. **Separating Columns:** It is made up of a fine rubber hose which is fixed to the block to which the gas is given. Chalk dust is used a stationary phase. While one tip of the T-block is fixed to the separating column, the other tip is fixed to the pump. In this situation, gas is able to pass through the separating column.
3. **Detector:** A detector which can measure different migration speed of different gases is used.
4. **Carrier Gas:** Air, given with the pomp of aquarium, is used as the carrier gas. By this method, it is safer and easier compared to the other gases.

In this experiment, firstly the gas mixture is extracted from the lighter gas. Secondly this gas is injected in the separating column. Thirdly, with the help of carrier gas, different gases move at different speed. Then this speed is measured by the computerized detector and voltmeter. It is clearly seen that these gases are methane, propane, i-butane, n-butane and i-pentane successively. The planned experiment clip is given in Figure:1.




Figure: 1 An example of the experiment clip

The findings indicate that the Chromatogram is clearly observable. So, gas types in the lighter gas are determined. With this experiment, in instrumental analysis lessons, a better-understanding of this lesson has been reached by increasing the student interest.

### Acknowledgements

The authors are thankful to the Visiting Lecturer W. Frühling/Germany and Hacettepe University Research Fund who supplied the necessary program and materials for the experiment.

### BIODATA and CONTACT ADDRESSES of AUTHORS



Prof. Dr. **Inci MORGIL** was born in Istanbul at 1942 and graduated Faculty of Pharmacy from Istanbul University. Become Assoc. Prof. at 1976, and become Professor at 1982. She is a chair of Department of Chemistry, Faculty of Education, at Hacettepe University, since 1987. Her contact addresses is: Hacettepe University, Faculty of Education, Department of Chemistry, Faculty of Education, 06800 Beytepe/Ankara, Turkey  
Tel: 0 312 297 86 18 Fax: 0 312 230 58 63  
Email: [inci@hacettepe.edu.tr](mailto:inci@hacettepe.edu.tr)



**Res. Asst. Soner YAVUZ** was born in Kdz. Eregli, Zonguldak at 29. 04. 1977 and graduated Department of Chemistry, Faculty of Education, at Hacettepe University at 2000.

He is working at the Department of Chemistry, Faculty of Education, at Hacettepe University, since 2001 as Res. Asst. His contact addresses is:

### Res. Asst. Soner YAVUZ

Hacettepe University, Faculty of Education,  
Department of Chemistry, Faculty of Education,  
06800 Beytepe/Ankara, Turkey

### REFERENCES

Ellison, H. R. (2005). Enthalpy of Vaporization by Gas Chromatography: A Physical Chemistry Experiment. *Journal of Chemical Education*, 82 (7), 1086-1088.

Sobel, R. M., Ballantine, D. S. & Ryzhov, V. (2005). Quantitation of Phenol Levels in Oil of Wintergreen Using Gas Chromatography–Mass Spectrometry with Selected Ion Monitoring: A Quantitative Analysis Laboratory Experiment. *Journal of Chemical Education*, 82(4), 601-603.

Latimer, D. (2003). The Study of Elimination Reactions Using Gas Chromatography: An Experiment for the Undergraduate Organic Laboratory. *Journal of Chemical Education*, 80(10), 1183-1184.

Knupp, G., Kusch, P. & Neugebauer, M. (2002). Identification of Flavor Components in Perfumes by Headspace Solid-Phase Microextraction and Gas Chromatography–Mass Spectrometry. *Journal of Chemical Education*, 79(1), 98-100.

Slawson, C., Stewart, J. & Potter, R. (2001). Biocatalytic Lactone Generation in Genetically Engineered *Escherichia coli* and Identification of Products by Gas Chromatography–Mass Spectroscopy. *Journal of Chemical Education*, 78(11), 1533-1534.

Olson, T. M., Gonzalez, A. C. & Vasquez, V. R. (2001). Gas Chromatography Analyses for Trihalomethanes: An Experiment Illustrating Important Sources of Disinfection By-Products in Water Treatment. *Journal of Chemical Education*, 78(9), 1231-1234.

Simpson, J. M. & Rivera, O. (2001). Gas Chromatography and Molecular Modeling: A Correlation Experiment for the Undergraduate Laboratory. *Journal of Chemical Education*, 78(7), 942-943.

Bressette, A. R. (2001). From GC to the NMR: A Simple Semipreparative Gas Chromatography Collection Method Using NMR Tubes. *Journal of Chemical Education*, 78(3), 366-367.

Atterholt, C., Butcher, D. J., Bacon, J. R., Kwochka, W. R. & Woosley, R. (2000). Implementation of an Environmental Focus in an Undergraduate Chemistry Curriculum by the Addition of Gas Chromatography–Mass Spectrometry. *Journal of Chemical Education*, 77(12), 1550-1551.

Nahir, T. M. (1999). Analysis of Semivolatile Organic Compounds in Fuels Using Gas Chromatography–Mass Spectrometry. *Journal of Chemical Education*, 76(12), 1695-1696.

Sykes, A. G., Caple, G. (1999). Bridging Native American Culture and Chemistry: Gas Chromatography Experiments That Examine Native Foods. *Journal of Chemical Education*, 76(3), 392-395.

Smith, A. L., Thorne, E. J. & Nadler, W. (1998). An Inexpensive Detector for Gas Chromatography. *Journal of Chemical Education*, 75(9), 1129-1132.

Wedvik, J. C., McManaman, C., Anderson, J. S. & Carroll, M. K. (1998). Intermolecular Forces in Introductory Chemistry Studied by Gas Chromatography, Computer Models and Viscometry. *Journal of Chemical Education*, 75(7), 885-888.

Williams, K. R. & Pierce, R. E. (1998). The Analysis of Orange Oil and the Aqueous Solubility of d-Limonene: Two Complementary Gas Chromatography Experiments. *Journal of Chemical Education*, 75(2), 223-226.

Rhoads, C. M., Farquar, G. R. & Wood, W. F. (1997). Ozonolysis Experiments Using Gas Chromatography–Mass Spectrometry: An Undergraduate Organic Chemistry Laboratory Experiment. *Journal of Chemical Education*, 74(10), 1220-1221.

Brazdil, L. C. (1996). Oxygenates in Gasoline: A Versatile Experiment Using Gas Chromatography. *Journal of Chemical Education*, 73 (11), 1056-1058.

Kegley, S. E., Hansen, K. J. & Cunningham, K. L. (1996). [Determination of Polychlorinated Biphenyls \(PCBs\) in River and Bay Sediments: An Undergraduate Laboratory Experiment in Environmental Chemistry Using Capillary Gas Chromatography with Electron Capture Detection](#). *Journal of Chemical Education*, 73 (6), 558-562.

Kostecka, K. S., Lerman, Z. M. & Angelos, S. A. (1996). [Use of Gas Chromatography-Mass Spectrometry \(GC-MS\) in Nonscience Major Course Laboratory Experiments](#). *Journal of Chemical Education*, 73 (6), 565-567.

Marriott, P. J. & Carpenter, P. D. (1996). Capillary Gas Chromatography Injection: An Exercise for Students of Instrumental Analysis. *Journal of Chemical Education*, 73 (1), 96-99.

Frühling, W. & Faßbinder, P. (1981). Einfache Gaschromatographie mit einem Halbleiter-Gas-Sensor als Detektor. *Praxis der Naturwissenschaften Chemie*, 8, 25.